Multiple Sclerosis Intake Form

Northborough, MA: **Toll free** (855) 880-1091 **Toll free fax** (844) 265-0265
www.AllCarePlusPharmacy.com

DATE: __________ THERAPY START DATE: _______________ DELIVERY : ☐ PATIENT ☐ OFFICE ☐ OTHER: ____________________

PATIENT INFO		PRESCRIBER INFO	
Patient Name	Date of Birth	Prescriber Name	Group/Hospital
Address		Preparer Name/Office Contact	DEA/NPI #
City, State, Zip		Address	
Phone		City, State, Zip	
Social Security	☐ Male ☐ Female	Phone	Fax

INSURANCE: PLEASE FAX COPY OF PRESCRIPTION CARD & MEDICAL CARD FRONT & BACK

CLINICAL INFORMATION

ICD-10 Code: ____________________ ☐ Relapsing/Remittting ☐ Progressive

Has the patient received injection training? ☐ Yes ☐ No

Is the patient interested in patient support programs? ☐ Yes ☐ No

Height: __________ Weight: ____________

ALLERGIES: ____________________________

PRESCRIPTION INFORMATION

DRUG	DOSE/STRENGTH	DIRECTIONS	QUANTITY	REFILLS
☐ **Aubagio®**	☐ 7 mg ☐ 14 mg	☐ Take one tablet by mouth once daily	☐ 28-day supply (1 box) ☐ 84-day supply (3 boxes) ☐ ______________	
☐ **Avonex®**	☐ 30 mcg Prefilled Syringe ☐ 30 mcg Single Dose Vial ☐ 30 mcg Avonex Pen (single dose)	☐ Inject 30 mcg intramuscularly once a week	☐ 4-week supply (1 kit) ☐ 12-week supply (3 kits)	
☐ **Betaseron®**	☐ 0.3 mg	☐ Inject 0.25 mg (1 ml) subcutaneously every other day ☐ Dose Titration: • Week 1-2: Inject 0.0625mg / 0.25 ml subcutaneously QOD • Week 3-4: Inject 0.125 mg / 0.50 ml subcutaneously QOD • Week 5-6: Inject 0.1875 mg / 0.75 ml subcutaneously QOD • Week 7+: Inject 0.25 mg / 1 ml subcutaneously QOD ☐ Other: ______________________________	☐ 28-day supply (1 kit of 14 vials) ☐ 84-day supply (3 kits of 14 vials) ☐ ______________	
☐ **BETAJECT® Lite Auto injector**		Use as directed		
☐ **Copaxone®**	☐ 20 mg Prefilled Syringe ☐ 40 mg Prefilled Syringe	☐ Inject 20 mg subcutaneously daily ☐ Inject 40 mg subcutaneously 3 times weekly	☐ 30-day supply (1 kit) ☐ 90-day supply (3 kits)	
☐ **Autoject®** for glass syringe injection device		Use as directed		
☐ **Extavia®**	☐ 0.3 mg	☐ Inject 0.25 mg (1 ml) subcutaneously every other day ☐ Dose Titration: • Week 1-2: Inject 0.0625mg / 0.25 ml subcutaneously QOD • Week 3-4: Inject 0.125 mg / 0.50 ml subcutaneously QOD • Week 5-6: Inject 0.1875 mg / 0.75 ml subcutaneously QOD • Week 7+: Inject 0.25 mg / 1 ml subcutaneously QOD ☐ Other: ______________________________	☐ 30-day supply (1 kit) ☐ 90-day supply (3 kits)	
☐ **EXTAVIA® Auto-Injector II**		Use as directed		
☐ **Gilenya®**	☐ 0.5 mg	☐ Take one 0.5 mg capsule by mouth daily	☐ 30 day supply (bottle)	
☐ **Plegridy®**	☐ 63 mcg/94 mcg PEN Starter Pack ☐ 125 mcg PEN Maintenance Pack ☐ 63 mcg/94 mcg Prefilled Syringe Starter Park ☐ 125 mcg Prefilled Syringe Maintenance Pack	☐ Dose Titration: Day 1 inject 63 mcg, Day 15 inject 94 mcg Day 29 inject 125 mcg ☐ Maintenance dose: 125 mcg subcutaneously every 14 days ☐ Other: ____________________________	☐ 1 kit ☐ 3 kits	
☐ **Rebif®**	☐ Titration Pack (six 8.8 mcg & six 22 mcg prefilled syringes) ☐ 22 mcg prefilled syringe ☐ 44 mcg prefilled syringe ☐ Titration Pack Rebidose® (six 8.8 mcg pre-filled auto injectors & six 22 pre-filled auto injectors) ☐ Rebidose® 22 mcg pre-filled auto injector ☐ Rebidose® 44 mcg pre-filled auto injector	☐ Dose Titration: • Weeks 1-2: Inject 8.8 mcg subcutaneously three times a week • Weeks 3-4: Inject 22 mcg subcutaneously three times a week • Weeks 5+: Inject 44 mcg subcutaneously three times a week ☐ Inject 44 mcg subcutaneously three times a week ☐ Other: ______________________________	☐ 4-week supply (1 kit) ☐ 12-week supply (3 kits) ☐ ______________	
☐ **Rebiject®**		Use as directed		
☐ **Tecfidera™**	☐ Titration Starter Pack (14 capsules of 120 mg and 46 capsules of 240 mg) ☐ 240 mg capsules ☐ 120 mg capsules	☐ Titration Starter Pack: Take 120 mg capsule by mouth twice a day for 7 days followed by 240 mg capsule by mouth twice a day ☐ Maintenance dose: Take 240 mg capsule by mouth twice a day ☐ Other: ______________________________	☐ Titration Starter Pack: 30 day supply ☐ Maintenance Dose (240 mg) ☐ 30 day supply ☐ 90 day supply ☐ Other__________ ☐ 120 mg capsules: ☐ 7 day supply ☐ Other__________	
☐ **Zinbryta™**	☐ 150 mg/mL solution in a single-dose prefilled syringe	☐ 150 milligrams injected subcutaneously once monthly		
☐ **Tysabri®**	**Please complete a MS TOUCH/Tysabri enrollment form and indicate AllCare Plus Pharmacy as your preferred pharmacy provider. Please contact TOUCH Prescribing Program with any questions. 1-800-456-2255**			

Other Medication: ________________________________ Physician Signature: ________________________ Date: __________

I authorize AllCare Plus Pharmacy and its representatives to act as an agent to initiate and execute the insurance prior authorization process.

IMPORTANT NOTICE: This facsimile transmission is intended to be delivered only to the named addressee and may contain material that is confidential, privileged, proprietary or exempt from disclosure under applicable law. If it is received by anyone other than the named addressee, the recipient should immediately notify the sender at the address and telephone number set forth herein and obtain instructions as to disposal of the transmitted material. In the event that this pharmacy determines that it is unable to fulfill this prescription, I further authorize this pharmacy to forward this information and any related materials related to coverage of the product to another pharmacy of the patient's choice or in the patient's insurer's provider network. In no event should the material be read or retained by anyone other than the named addressee, except by express authority of the sender to the named addressee. This is a patient enrollment form for the above mentioned therapies. Patients have the right to use the Pharmacy of their choice, if AllCare Plus Pharmacy is the Pharmacy of choice, please follow up with a call in, electronic, faxed or mailed prescription to AllCare Plus Pharmacy, 50 Bearfoot Road, Northborough, MA 01532. (Phone) 1 855 880 1091 (Fax) 1 844 265 0265